

NONPROVISIONAL PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400
Facsimile: (703) 836-2787

Attorney Docket No.: 106766

Date: August 4, 2000

BOX PATENT APPLICATION

**NONPROVISIONAL APPLICATION TRANSMITTAL
RULE §1.53(b)**

Director of the U.S. Patent and Trademark Office
Washington, D.C. 20231

Sir:

Transmitted herewith for filing under 37 C.F.R. §1.53(b) is the nonprovisional patent application

For (Title): A NAVIGATION SYSTEM AND A MEMORY MEDIUM

By (Inventors): Hironari IWASAKI, Shogo ITO, Kazuhiro IKEDA, Koji KATO, Yasuyuki TAKEDA

- ☒ Formal drawings (Figs. 1-15; 15 sheets) are attached.
- ☐ A Declaration and Power of Attorney is filed herewith.
- ☐ An assignment of the invention to _____ is filed herewith.
- ☐ An Information Disclosure Statement is filed herewith.
- ☐ A statement to establish small entity status under 37 C.F.R. §§1.9 and 1.27 is filed herewith.
- ☐ A Preliminary Amendment is filed herewith.
- ☐ Please amend the specification by inserting before the first line the sentence --This nonprovisional application claims the benefit of U.S. Provisional Application No. _____, filed _____.
- ☒ Priority of foreign application(s) No. JP HEI 11-224117 filed August 6, 1999 in Japan is claimed (35 U.S.C. §119).
- ☐ A certified copy of the above corresponding foreign application(s) is filed herewith.
- ☒ The filing fee is calculated below:

**CLAIMS IN THE APPLICATION AFTER ENTRY OF
ANY PRELIMINARY AMENDMENT NOTED ABOVE**

FOR:	NO. FILED	NO. EXTRA
BASIC FEE		
TOTAL CLAIMS	15 - 20	= 0*
INDEP CLAIMS	5 - 3	= 2*
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS PRESENTED		

* If the difference is less than zero, enter "0".

- ☒ Check No. 110845 in the amount of \$846.00 to cover the filing fee is attached. Except as otherwise noted herein, the Director is hereby authorized to charge any other fees that may be required to complete this filing, or to credit any overpayment, to Deposit Account No. 15-0461. Two duplicate copies of this sheet are attached.
- ☐ This application is entitled to small entity status. DO NOT charge large entity fees to our Deposit Account.

SMALL ENTITY

RATE	FEE
	\$ 345
x 9 =	\$
x 39 =	\$
+130 =	\$
TOTAL	\$

**OTHER THAN A
SMALL ENTITY**

RATE	FEE
	\$ 690
x 18	\$-----
x 78	\$156
+260	\$-----
TOTAL	\$846

Respectfully submitted,

Dermott J. Cooke
James A. Oliff
Registration No. 27,075

Dermott J. Cooke
Registration No. 41,685

JAO:DJC/emmm

Inventor Information

Inventor One Given Name:: Hironari
Family Name:: IWASAKI
Name Suffix::
City of Residence:: Okazaki
State or Prov. of Residence:: Aichi
Country of Residence:: Japan
Inventor Two Given Name:: Shogo
Family Name:: ITO
Name Suffix::
City of Residence:: Okazaki
State or Prov. of Residence:: Aichi
Country of Residence:: Japan
Inventor Three Given Name:: Kazuhiro
Family Name:: IKEDA
Name Suffix::
City of Residence:: Okazaki
State or Prov. of Residence:: Aichi
Country of Residence:: Japan
Inventor Four Given Name:: Koji
Family Name:: KATO
Name Suffix::
City of Residence:: Okazaki
State or Prov. of Residence:: Aichi
Country of Residence:: Japan
Inventor Five Given Name :: Yasuyuki
Family Name:: TAKEDA
Name Suffix::
City of Residence:: Okazaki
State or Prov. of Residence:: Aichi
Country of Residence:: Japan

Correspondence Information

Name Line One:: Oliff & Berridge PLC
Address Line One:: P.O. Box 19928
City:: Alexandria
State or Province:: VA
Postal or Zip Code:: 22320
Telephone:: (703) 836-6400
Fax:: (703) 836-2787
Electronic Mail:: commcenter@oliff.com

Application Information

Title Line One:: A NAVIGATION SYSTEM AND A MEMORY
Title Line Two:: MEDIUM
Title Line Three::
Title Line Four::

Total Drawing Sheets:: 15
Docket Number:: 106766

Continuity Information

>This application is a::
Application One::
Filing Date::
Patent Number::
which is a::
>>Application Two::
Filing Date::
Patent Number::

Prior Foreign Applications

Foreign Application One:: JP HEI 11-224117
Filing Date:: August 6, 1999
Country:: Japan
Priority Claimed:: yes
Foreign Application Two::
Filing Date::
Country::
Priority Claimed::
Foreign Application Three::
Filing Date::
Country::
Priority Claimed::

A NAVIGATION SYSTEM AND A MEMORY MEDIUM

BACKGROUND OF THE INVENTION1. Field of Invention

This invention relates to a navigation system and memory medium that
5 improve the varieties and efficiencies of searches for a register point within an area
such as a vicinity search, an area designated search and so on.

2. Description of Related Art

Figure 14 is a diagram describing a prior known vicinity search process.
When starting the vicinity search process, objects existing within a predetermined
10 limit are searched. The search is executed by searching for register point data (object
data) by each area block within the predetermined limit. Further, a hotel may be
selected, for example, as a category (genre) to be searched. Hotels are then sorted
from the searched register point data and displayed as a list according to their distance
from a common origin. Of course, a list can also be displayed by sorting distances
15 only without selecting a category.

Figure 15 is a diagram describing a search process for displaying a list of
categories by designating areas. By selecting areas according to designated
categories, for example an administrative unit, then a list of categories common to
each area is displayed.

20 In accordance with a prior known periphery search process, in which a vehicle
travels along a specified route guidance, if a stop for meals or shopping is desired,
then a user may immediately search for desired facilities by using the navigation
system. In such a case, designated categories (genres) that exist within a
predetermined limit from a present position (e.g., within 10 km) are displayed in a list.
25 However, if a present position is located near a border between Fukuoka-Prefecture
and Yamaguchi-Prefecture, for example, then facilities existing in Fukuoka and
facilities existing in Yamaguchi are combined in the list without regard to the types of
roads needed to travel to reach the facilities when displayed. Because of this, a user is
unable to locate facilities accessible by traveling exclusively on normal roads. Rather,
30 facilities to which the user can go only by traveling on toll roads, i.e., non-normal
roads, are also displayed. As a result, a user is likely to select those facilities on
non-normal roads by mistake.

Further according to the prior search process, when a category is selected, register point data is displayed in a list only after determining whether each register point data in each area block corresponds to the category selected by the user. This requires a lot of time as all the register point data have to be checked even if the corresponding category does not exist in some area blocks. Moreover, because each area has a fixed list of common categories, a problem arises in that even absent or vacant categories are displayed in a list in some areas.

SUMMARY OF THE INVENTION

The invention conducts a search by designating register point data belonging to the same area when making the vicinity search. The invention further conducts a variety of searches when making the vicinity search. Still further, the invention reduces searching time when making the vicinity search and displays a category list by designating an area in a way corresponding to the area.

As described above, according to the invention, because vicinity search data is provided with area data, such as country names etc. of the register points, a vicinity search can be made by specifying objects in the same area, thereby permitting various searches to be made.

Further, when register points are searched by hierarchically limiting categories, the time required for making the vicinity search can be reduced by obtaining information regarding the presence and absence of the register points belonging to category items in the lower hierarchy categories. Further, when searching categories by designating an area, categories with no register point data in the areas are not displayed as only category items with register point data existing are displayed in a list. Thus, the list can be displayed in a way that accurately corresponds to the area.

The navigation system and memory medium of the invention comprises an input means for inputting information to conduct a vicinity search including at least information regarding a reference position of the vicinity search, a display means for displaying a search result, an information storage means for storing at least vicinity search data and a search means for making the vicinity search on the basis of data input by the input means and stored in the information storage means, wherein the vicinity search data includes at least area information and the search means conducts the vicinity search on the basis of the area information to which register

points belong and outputs the search result to the display means. The invention includes area information wherein the area information is country information, district information, prefectural information or municipality information. The navigation system of the invention further comprises an input means for inputting information necessary to conduct the register point search within the area, a display means for displaying the search result, an information storage means for storing data necessary for at least the register point search, a search means for making the register point search within the area on the basis of information input by the input means and data stored on the information storage means, wherein the register point search data within the area include category information to which flags are associated for representing whether register point data are present or absent, and the search means searches for register point data by referring to the flags. The navigation system of the invention further conducts the register point search within the area of the vicinity search and the search means searches for register point data on the basis of information regarding the reference position input by the input means, wherein the register point data is controlled by dividing each vicinity into an area or block, and category information is stored on the basis of each area or block such that a flag representing whether register point data are present or absent as category information of each area or block. Thus, the register point data are controlled on the basis of each category and a flag representing whether the data are present or absent, is given as category information of each area or block, wherein a data structure of category information is hierarchical and flags are given representing whether register point data exist in categories of the lower hierarchy before proceeding to a category of the upper hierarchy. The register point search within an area is the area designated search and the search means searches for register point data on the basis of information regarding an area input by the input means. The area may be a country or an administrative unit, or the like.

The invention further provides a memory medium that stores a program for conducting a vicinity search and for displaying a search result, wherein the conducting of the vicinity search includes searches for area information on the basis of the input reference position for the vicinity search. The memory medium further stores a program for searching for register points within an area on the basis of input data and stored data and for displaying a search result, wherein the step for searching the register points within the area makes a search by referring to flags given to categories

in an area that represent whether register point data are present or absent in the area. Further the memory medium of the invention searches for register point data within a predetermined area on the basis of each category and stores a flag representing the existence or absence of register point data based upon either the searched register point data or the category information data for displaying categories.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a diagram showing an example of the composition of a vehicle navigation system according to the invention;

Figure 2 is a diagram showing an example of vicinity search data structure according to the invention;

Figure 3 is a block diagram describing an example of vicinity search according to the invention;

Figure 4 is a diagram showing an example of a list in which a plurality of register points is searched by category + name and sorted according to distance;

Figure 5 is a diagram showing an example of a list in which a plurality of register points is searched by name and sorted according to distance;

Figure 6 is a diagram showing an example of a list in which a plurality of register points is searched by category + name + country and sorted according to distance;

Figure 7 is diagrams showing alphabetical input screens;

Figure 8 is a diagram showing an example of register point data structure when inputting alphabetically object names;

Figures 9(a), (b), (c) and (d) are diagrams showing respective genre data structure according to respective area blocks used when making a vicinity search within a predetermined limit;

Figure 10 is a diagram describing access to data when making a vicinity search;

Figure 11 is a flowchart describing a searching method in category selection;

Figure 12 is a flowchart describing a category selection process;

Figure 13 is a flowchart describing a display screen of selected categories;

Figure 14 is a flowchart describing a vicinity search process according to a related approach; and

Figure 15 is a flowchart describing a search process so as to display a list of categories by designating areas.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

Embodiments of the invention will be described below with reference to the drawings. Figure 1 is a diagram showing an example of a navigation system according to the invention. The invention is composed of an input unit 1 for inputting information regarding route guidance; a present position detecting unit 2 for detecting information regarding a present position of a vehicle; an information storage unit 3 for storing therein navigation data required for calculation of routes, display/audio guidance data required for route guidance, programs (application and/or OS) and the like; a central processing unit 4 for providing control over the entire system; an information transmitter/receiver 5 for transmitting and receiving information regarding the present position, and an output unit 6 for outputting information regarding route guidance.

The input unit 1 is provided with functions for inputting a destination and instructing the central processing unit 4 to execute navigation processing in conformity with a driver's intention. As the means for attaining such functions, a remote controller, such as a touch switch, a jog dial or the like, is used for inputting a destination in the form of telephone coordinates on a map and for requesting route guidance. Further, the invention is provided with a unit for performing the interaction by voice input, which functions as a voice input unit. There may also be added a record card reader for reading data recorded in an IC card or a magnetic card. Furthermore, there may be added a data communication device to provide data communications between information sources, such as an information center for accumulating therein data necessary for navigation, via communication links upon the driver's request. A portable style electronic device having map data, destination data, and data of a simple frame map and a building shaped map and the like may be added as well.

The present position detecting unit 2 receives information on the present position of the vehicle by using the Global Positioning System (GPS), an absolute direction sensor, such as a geomagnetic device for detecting the travel direction of the vehicle, a relative direction sensor, such as a combination of a steering sensor and a gyro sensor, for detecting the relative travel direction of the vehicle, and a distance

sensor for detecting the travel distance according to a number of revolutions of a wheel, for example.

The information memory device 3 is an external storage device in which programs and data for navigation are stored. The information memory device 3 may be, for example, a CD-ROM, a DVD-ROM, or the like. The programs stored therein include a program for processing the route search. Such a processing program is shown in Figures 11 as a flowchart and includes a program for performing guidance in the interactive manner by the voice input and necessary data therefor, and a program for performing the voice output control necessary for the voice guidance and necessary data therefor. The data to be stored therein are composed of files, such as map data, search data, guidance data, map matching data, destination data, register point data, road data, genre data, landmark data and the like, wherein all the data necessary for navigation are stored. In addition, the invention can be applied to a system in which the CD-ROM contains only the stored data and the central processing unit contains the programs.

The central processing unit 4 comprises a CPU for performing various calculation processing; a flash memory for reading and storing the programs from the CD-ROM of the information memory unit 3; a ROM containing a program (or program reading means) for checking and updating the programs contained in the flash memory; a RAM for temporarily storing the searched route guidance information, such as the point coordinates of a set destination, a road name code No., or the like or data under the calculation processing. The central processing unit 4 further provides a voice processor for processing the voice input from the input unit 1 and for synthesizing and transforming a voice, a phrase, a sentence, a sound, or the like, into an analog signal and outputting it to the speaker. The CPU 4 further provides a communication interface for transferring the input/output data, a sensor input interface for receiving the sensor signal of the present position detecting unit 2, and a clock for writing the date and time as an internal diagnosis information. In addition, the program for an updating process may be stored in an external memory unit.

The programs according to the invention and the other programs for executing navigation may be wholly stored in a CD-ROM as an external memory medium, or they may be partially or wholly stored in the ROM. The data and programs stored in

the external memory medium are input as external signals to the central processing unit 4 of the navigation system and processed by calculation so that various navigation functions are realized.

As described above, the navigation system includes a flash memory having a relatively large capacity for reading programs from the CD-ROM of the external memory unit, and a ROM having a small capacity that contains a program (or program reading means) for starting the CD-ROM. The flash memory is the non-volatile memory means for maintaining the stored information even if the power is turned off. As an initial processing of the CD-ROM, the programs stored in the ROM are initiated to check the programs stored in the flash memory and to read the disc managing information etc., stored in the CD-ROM of the information storage unit 3. The loading (or updating) operation of the programs is executed by determining that information and the state of the flash memory.

The information transmitter-receiver 5 comprises a GPS receiver for obtaining information by making use of the satellite navigation system (GPS), and a VICS receiver for obtaining information via FM multi-channels, electric beacons, light beacons, etc. A data transmitter is exemplified by a portable telephone, a personal computer, or the like for exchanging the information with an information center (e.g., ATIS), other vehicles, and the like.

The output unit 6 is provided with functions for outputting voice/display guidance information required by the driver, and for outputting the navigation data processed in the CPU 4 to the printer. As means for realizing these functions, the output unit comprises a display for displaying input data on a screen or for displaying a route guidance screen, a printer for outputting the data processed in the CPU 4 or the data stored in the information memory unit 3 to the printer, a speaker for outputting route guidance by voice, and the like.

The display includes a color CRT or liquid-crystal display device, for example, and display screens show enlarged intersections, destination names, times, distances, travel directions, character images, and the like on the basis of map data or guidance data processed by the central processing unit 4. The image data transmitted to the display are binary image data (bitmap data) so that not only a communication line used for a serial communication is used but also other communication lines can be used for the transmission. As a result the data are not transmitted through a

special-purpose signal. The display is provided with a memory for temporarily storing the bitmap data. In addition, the display is mounted in the instrument panel of the vehicle, in the vicinity of the driver's seat, so that the driver is able to confirm the present position of the vehicle and conveniently obtain information on a next route to follow. The display may be composed so that points or roads, etc., can be input by touching or tracing the screen with a tablet, a touch panel, a touch screen etc., a detailed description of which is omitted.

A flow of the entire navigation system according to the invention is hereafter described. The route guidance program is initiated upon reading the program of the information processing unit 3 to the central processing unit 4, after which, a vehicle's present position is detected by the present position detecting unit 2. Then a vicinity map with the vehicle's present position being its center is displayed with a name of the present position. Thereafter, a destination is determined using an object name, such as a place name, a facility name, a telephone number, an address, a register point, a road name or the like, and a route search from the vehicle's present position to the destination is executed. When a route is determined, route guidance/display is repeated until the vehicle arrives at the destination, with the vehicle's changing present position having been traced throughout the route by the present position-detecting unit 2. If a new input is executed when the vehicle stops on the way before arriving at the destination, a search area is established on the basis of the new input and a new search is conducted for the new area. At the same time, the route guidance is repeatedly executed until the vehicle arrives at the destination.

Figure 2 is an example of a vicinity search data structure. In the vicinity search, wherein the user inputs categories (genres), a limited number of coordinates and other search references are deemed register points existing within a limit designated according to a reference position selected by the user or otherwise determined automatically by the position detecting unit 2, whereby the detected vehicle's present position is its center. The register points are searched, according to the designated search reference and are selected and weighted in response to the designated research reference. Priorities are given thereto and they are displayed in the order of the priorities.

The vicinity search data consist of data (files) on the basis of each area block, wherein file numbers showing the amount of data are stored in the header record.

Information regarding each block is stored as coordinate data. Information regarding the location of each data is deemed allocation data. The genre allocation table contains flags representing the presence or absence of category information, the classifications of categories, and the number of register point data. The register point data contain information of the longitude and latitude coordinates thereof, offset names indicative of locations of name data of the register points, and information about a country to which these points belong. The text pool stores therein name data (character strings) of the register points.

Figure 3 is a block diagram describing an example of a vicinity search according to the invention. As shown in Figure 2, vicinity data stores category information, coordinate information of each register point, country information and register point names. Therefore, the vicinity search is made within a predetermined limit by designating any one of categories, countries, names or a combination thereof. Thus register points are displayed in a list based upon their location relative to the reference location.

Figure 4 shows an example of a search made by a category and a name and listed according to distances from a common origin. In this example, register points are searched by a combination of the category "HOTEL" and the name "AA". The register points are then sorted in accordance with distances thereof from a common origin. The country name (D) or (F) is given to each hotel, thus showing, in this example, that the vicinity search was made near a border between Germany and France.

Figure 5 shows an example of a search made by name only and sorted in accordance with the distances from a common origin. The register point data having names inclusive of the character string (AA) are displayed in order of the nearest register point to the common origin reference position. The country name (D) or (F) is given to each register point data as well, which indicates that the vicinity search is again made near the border between Germany and France.

Figure 6 shows an example of a search made by the combination of a category, a name and a country, wherein the search results are sorted in accordance with distances from a common origin. The register point data are searched by the category "HOTEL", the name "AA" and the country "GB". Upon completion of the search the

country information is given and hotels are displayed in a list in order of location relative to the common origin reference position.

Other than the above examples, a search may also be made by any of several combinations, such as by name and a country, a category and a country, just a category, just a name or the like, to produce a list sorted in accordance with distances from the common origin reference position. As described above, if a name can be input, a data search can be made so that only corresponding items are displayed on a list. Further, the vicinity search can be made by designating countries. For example, if a search is made near a border in Europe, register points can be sorted in accordance with respective countries and information of respective countries can be therefore searched. As a result, the search can be made in a variety of way to meet a driver's demand.

Next, an example of name input processing in the vicinity search is described.

Figure 7 shows an alphabetical input screen, wherein a first letter of the name "A" is input and a second letter of the name "B" is input. Thereafter a display indicates that a following letter or number is limited to the highlighted "B, E, H, J, M, O, R, U, Y, 3,4,5,6,7," characters. At the same time, a remainder list number is displayed as 1234. At this point in the processing, when a "LIST" key on the screen is pressed, all the register points having the first 2 letters beginning as "A B", are displayed on a list. In the figure, the list highlights "ABCDEFGG" as a target register point that can be selected and input with a key operation, a remote control operation or the like. If the remainder list number is large, making it difficult to find a target name in the list on the display screen, increasing the input characters results in less corresponding items in the list. Thus, it is the goal to select a destination name displayed in the list when the remainder number becomes small. In addition, if the character input is carried out until the remainder number shows 1, the remaining name is automatically selected and input with the key operation. The character input is not only executable from the touch panel but also it may be input by voice, if a voice input unit is provided. Further, a name input can be made in the same way as above by using the Japanese phonetic symbols rather than westernized alphabetic inputs.

Figure 8 shows an example of a register data structure when a destination is input by alphabetical input, wherein all the register names having the beginning letter "B" and the second letter "A" are BADAPOZ, BANDANAH, BAIKAL, BAQUBAH,

BARCELONA, BARSTOW, BASEL, BASTAK, BASILAN. BATH, BATHUEST and BAYERN and all the register names having the beginning of the letter "B" and the second letter "E" are BEITRIDGE, BELFAST, BERLIN, BERN, BERGEN and BERKLEY.

5 Using the data structure of Figure 8, if a user wishes to input "BARCELONA" as a target name, the remainder number of the twelve items discovered is displayed due to input of "BA". The remainder number would be two if further inputting of "BAR" were executed, which would reduce the item found to BARCELONA and BARSTOW. Pressing "LIST" at this stage would show, "BARCELONA" and
10 "BARSTOW" in the list. Inputting "BARC" instead would result in a remainder number of one as only BARCELONA would remain. Therefore, "BARCELONA" is selected in this latter case and it is not necessary to input all 9 letters composing "BARCELONA".

15 In the same manner, if "BERLIN" is set as a target name, the remainder number of six remains unchanged by inputting "BE" or even further inputting "BER" only reduces this list to four names. Only when inputting "BERL" does the remainder number become one resulting in BERLIN being finally selected. Where only BE or BER is inputted, "BERLIN" may be selected from a list displayed when the user input the list key function to display the remainder number of six items. This, therefore,
20 completes the entire term of "BERLIN" by inputting only 2 or 3 letters.

Next, a reduction of searching time in the vicinity search is described.

Figure 9 shows a category data structure wherein each area block is used for making a search within the predetermined limit in the vicinity search. Figure 9(a) is a register point block data structure in which each block shows a predetermined area
25 and an administrative unit composed of several blocks. Each block of 1-N is established with categories J1-Jn, with flags representing whether register point data belonging to respective categories exists. For example, in block 2, because category J1 shows a flag representing "0", it means no object exists in that category, and since category J2 shows a flag representing "1," it means at least one object exists in this
30 category. Thus, the user can discover the presence or absence of objects in each category from the flags. Figure 9(b) shows a register point data structure corresponding to categories in a register point block, wherein names, coordinates, detailed information, etc. are established. Figure 9(c) shows categories and

Figure 9(d) shows a register point data structure corresponding to blocks in a category, wherein each block includes a flag showing the presence or absence of register point data. For example, since block 1 shows a flag representing "1", it means there is register point data in block 1. On the other hand, block 2 shows a flag indicating "0", indicating there is no register point data therein. Each register point data is further described in a data structure of Figure 9(b).

Regarding the vicinity search, a switch over to vicinity search mode is accomplished by selecting the vicinity search on a menu screen of the navigation system. A search limit is set, then register data within the limit are searched and a number of items and list names corresponding thereto are displayed. At this stage, as shown in Figure 9, as the presence or absence of register point data in each category can be judged by giving a flag in a block of one category, register points can be searched effectively. In this case, not only categories given flags representing "presence" are displayed, but also categories given flags representing "absence" may be displayed at the same time provided a distinction between them is apparent. For example, the flags may be displayed in different colors, or categories given flags representing "absence" may be displayed by darkening the tone of a color as a method of distinction.

Further, if flags are given to categories, category data may be a hierarchical structure, wherein flags representing the existence of register point data exist in the lower hierarchy may be given to categories in the upper hierarchy. In this way, when a flag of categories in the upper hierarchy is "0", it is not necessary to search for categories in the lower hierarchy resulting in reduced searching time.

In addition, a predetermined limit in the vicinity search may be set such that the vicinity search occurs only within a predetermined distance from a reference position within a geographical area. The reference position may be a vehicle's present position or the cursor position. Further, the geographical area may be within an administrative area including the vehicle's present position or the cursor position, or it may be within an area prescribed by telephone numbers or postal codes including the present position or the cursor position. Further, an area adjoining the administrative area including the present position or the cursor position may be intended for a searching area. In addition, register points within the geographical area or the predetermined distance are searched according to the above block units.

An area for register point search within the area is within a predetermined limit for the vicinity search and/or a designated area for the area-designated search.

Figure 10 is a diagram describing access to data at the time of vicinity search. A-I are files representing data of area blocks. A mark within a file A shows a present position of the vehicle. Access to the data at the time of vicinity search is executed in the order of the nearest file from the driver (present position), namely A_B_C_.....H_I as shown with a curved arrow.

Figure 11 is a flowchart describing a search method for a category selection, whereby the search method checks data of each file from a file A in the order of A_B_C_.....H_I as shown in Fig. 10. If a file is one of the files A through I, then it is checked whether the flags given to categories in each block are "1" or "0". Then the categories of flag "1", namely hotels, restaurants and parking are listed. On the other hand, if all the files are checked, then items of each category are displayed in lists or, "absence" is displayed when the flag represents "0". According to the previous method, all the data are searched on the basis of one item after the user selects a category and if the item belongs to the category selected by a user, it is then displayed in the list. Therefore, all the data must be searched for some area blocks even if the selected category does not exist therein. On the other hand, according to the invention's method, first flags given to each category in a file are checked then items of the category are not checked if the flag is "0" so that searching time can be reduced.

Next is described an area-designated search.

The area-designated search is for searching register points of desired categories within an area. The designated area may be intended for an administrative unit such as a country, a region, a state, a prefecture, a city, a town, a village etc., or for an area prescribed by telephone numbers or postal codes. Further, areas adjoining the designated area may be intended for search areas. Search data has the same data structure as data shown in Figure 9(a) with given flags representing whether register point data exist in each category on the basis of each area block.

Figure 12 is a flowchart describing a category selection process, whereby an area is selected and category data belonging to the area are read. Because flags representing absence or presence are given to category data, categories with no register points are excluded by referring to flags. Therefore, only categories with register points are obtained and displayed in a list.

Figure 13 is a flowchart describing display screens of selected categories, wherein a list of categories is obtained by selecting an area. For example, the area A shows BBB, DDD, EEE, FFF and the area B shows AAA, BBB, GGG, HHH. Thus, only existing categories are displayed in respective lists. In area designated searches according to the previous method, even categories with no register points are displayed in a list in some areas since fixed categories common to each area are displayed in a list (see Fig. 15). However, this problem is avoided in the invention. Further, all the categories may be displayed by making a distinction between the presence and absence of the register points, in addition to displaying only categories with register points in a list.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
221

WHAT IS CLAIMED IS:

1. A navigation system, comprising:
 an input means for inputting information necessary to conduct a
 vicinity search including at least information regarding a reference position;
 5 a display means for displaying a search result;
 an information storage means for storing at least the vicinity search
 data;
 a search means for making the vicinity search on the basis of data
 stored in said information storage means and information input by said input means,
 10 wherein said vicinity search data include at least area information, and said search
 means conduct the vicinity search on the basis of area information to which the
 register points belong and inputs the search result to said display means.

2. The navigation system according to claim 1, wherein said area
 information is country information, district information, prefectural information or
 15 municipality information.

3. A navigation system, comprising:
 an input means for inputting information for searching register points
 within an area or block;
 a display means for displaying a search result;
 20 an information storage means for storing data necessary for at least a
 register point search; and
 a search means for searching for register points within the area,
 wherein said register point search data within the area include category information
 with flags representing the presence or absence of register point data and said search
 25 means search for register point data by referring to said flags.

4. The navigation system according to claim 3, wherein said register point
 data search within an area is a vicinity search and said search means search for
 register point data on the basis of information regarding a reference position input by
 said input means.

5. The navigation system according to claim 3, wherein said register point
 data are divided into an area or block and controlled such that category information is
 stored on the basis of each area or block and flags representing the presence or
 absence of register point data are given as category information of each area or block.

6. The navigation system according to claim 3, wherein register point data are controlled by each category, and flags representing the presence or absence of register point data for an area or block are given in each category.

7. The navigation system according to claim 3, wherein a data structure of category information is hierarchical and flags representing the presence or absence of register point data in categories of the lower hierarchy, are given to a category of the upper hierarchy.

8. The navigation system according to claim 4, wherein a data structure of category information is hierarchical and flags representing the presence or absence of register point data in categories of the lower hierarchy, are given to a category of the upper hierarchy.

9. The navigation system according to claim 5, wherein a data structure of category information is hierarchical and flags representing the presence or absence of register point data in categories of the lower hierarchy, are given to a category of the upper hierarchy.

10. The navigation system according to claim 6, wherein a data structure of category information is hierarchical and flags representing the presence or absence of register point data in categories of the lower hierarchy, are given to a category of the upper hierarchy.

11. The navigation system according to claim 3, wherein said register point search within an area is an area designated search, and said search means conducts a search for register point data on the basis of information regarding the area input by said input means.

12. The navigation system according to claim 11, wherein said area is a country or an administrative unit.

13. A memory medium for a navigational system comprising a program for conducting a vicinity search on the basis of input data and for displaying a search result, wherein the said vicinity search searches for area information on the basis of the input reference position of the vicinity search.

14. A memory medium for a navigational system, comprising:
a program for searching for register points within an area on the basis of input data and for displaying a search result, wherein the searching of said register

points within the area refers to flags given to category information, representing whether register point data are present or absent in an area.

- 15 A memory medium for a navigational system that searches for register point data within a predetermined area by category and stores flags representing
- 5 whether register point are present or absent on the basis of each category.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

ABSTRACT OF THE DISCLOSURE

A vicinity search using register point data in a designated area reduces search time. The vicinity search data include at least category information, names of register points and country information. The search device conducts the vicinity search by specifying any one of category information to which the register points belong, names of the register points and country information, or a combination, by option and display. The search device further uses category information with flags representing the presence and absence of the register point data, whereby the register point data are searched by referring to the flags.




Fig. 1




Fig. 2




Fig. 3

Category + Name + Distance sort



List

D	<u>Hotel ASSERS INN</u>	0.3 km
F	<u>Hotel ACCEAN NEW HOTEL</u>	1.2 km
D	<u>Hotel AARADEA HOTEL</u>	2.5 km
F	<u>Hotel AACEHN HOTEL</u>	3.5 km
D	<u>Hotel AA YOUTH HOTEL</u>	9.4 km

Fig. 4

Name + Distance sort



List

D	<u>RESTAURANT ASSERS INN</u>	0.3 km
F	<u>PARKING AA NEW PAR</u>	1.2 km
D	<u>Hotel AARADEA HOTEL</u>	2.5 km
F	<u>SHOP AASERS WINERY</u>	3.5 km
D	<u>BAR AA BAR</u>	9.4 km

Fig. 5

Category + Name + Country + Distance sort



List

GB	<u>Hotel ASSERS INN</u>	<u>0.3 km</u>
GB	<u>Hotel ACCEAN NEW HOTEL</u>	<u>1.2 km</u>
GB	<u>Hotel AARADEA HOTEL</u>	<u>2.5 km</u>
GB	<u>Hotel AACEHN HOTEL</u>	<u>3.5 km</u>
GB	<u>Hotel AA YOUTH HOTEL</u>	<u>9.4 km</u>

Fig. 6

Alphabet Input Screen




Fig. 7

The first letter of word	Register point name
•	•
•	•
•	•
B	•
•	BADAPOZ
•	BADANAH
•	BAIKAL
•	BAQUBAH
•	BARCELONA
•	BARSTOW
•	BASEL
•	BASTAK
•	BASILAN
•	BATH
•	BATHURST
•	BAYERN
•	•
•	•
•	•
•	BEITBRIDGE
•	BELFAST
•	BERLIN
•	BERN
•	BERGEN
•	BERKLEY
•	•
•	•
•	•
•	•

Fig. 8




Fig. 9




Fig. 10




Fig.11




Fig.12




Fig. 13




Fig. 14
Related Art




Fig. 15
Related Art